



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)

TEST REPORT

Format No. DARL/QF/50

Report Issue to: Vidagyan Leadership Academy. Sikandrabad Jewar Road-Bulandshahr (UP).		Report No.	820260507WT003/A
		Sample Receipt Date	07/05/2026
		Test Started On	07/05/2026
		Date of Completion	12/05/2026
		Issue Date	12/05/2026
Customer Provided Details			
Name of Sample	Raw Water		
Brand Name	N.S.	Date of Sampling	N.S.
Sample Quantity	1 ltr.	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Raw Water		

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Test Parameters	Units	Results	Desirable Limit	Permissible Limit	Test Method
1	Fluoride(as F)	mg/l	BLQ(0.2)	1.0	May be extended up to 1.5	IS 3025 (P 60)/Sec-1 :2023 Clause No-7

Note:- 1. BLQ: - Below Limit of Quantification. 2. Figure in bracket Indicate Limit of Quantification.

Remarks : The above tested sample Complies as per IS: 10500:2012 AMD.No.4:2022 With respect to above test only.

End of Report



Suhas
Review by

Ritu Choudhary
Authorized Signatory (Biological)

Vikash Sharma
Authorized Signatory (Chemical)
(Chemical & Instrumental)

Page No. 1/1

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC516326000008670F

Report Issue to:
Vidagyan Leadership Academy,
Sikandrabad Jewar Road-Bulandshahr (UP).

Report No.	820260507WT003
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	12/05/2026
Issue Date	12/05/2026

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Test Parameters	Units	Results	Desirable Limit	Permissible Limit	Test Method
8					extended up to 100	Clause no. 5
9	Calcium(as Ca)	mg/l	47.3	75	May be extended up to 200	IS:3025(P-40):1991 ammendment no 1 : 2004 Clause no. 5
10	Total Alkalinity(asCaCO ₃)	mg/l	135.7	200	(May be extended up to 600)	IS:3025(P-23):2023 Clause no. 10
11	Total Hardness(as CaCO ₃)	mg/l	190.8	200	(May be extended up to 600)	IS:3025(P-21):2009 Clause no. 5
Microbiology parameter						
12	E.coli	/100ml	absent	Absent	-	IS:15185:2016 Clause no 8
13	Coliform	/100ml	absent	Absent	-	IS:15185:2016 Clause no 8

Note:- 1. BLQ: - Below Limit of Quantification. 2. Figure in bracket Indicate Limit of Quantification.

Remarks : The above tested sample Complies as per IS: 10500:2012 AMD.No.4:2022 With respect to above test only.

End of Report



Review by
Swati

Ritu Choudhary
Ritu Choudhary
Authorized Signatory (Biological)

Vikash Sharma
Authorized Signatory
Vikash Sharma
Authorized Signatory (Chemical)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC516326000008670F

Report Issue to: Vidagyan Leadership Academy, Sikandrabad Jewar Road-Bulandshahr (UP).		Report No.	820260507WT003
		Sample Receipt Date	07/05/2026
		Test Started On	07/05/2026
		Date of Completion	12/05/2026
		Issue Date	12/05/2026
Customer Provided Details			
Name of Sample	Raw Water		
Brand Name	N.S.	Date of Sampling	N.S.
Sample Quantity	1 ltr.	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Raw Water		

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Test Parameters	Units	Results	Desirable Limit	Permissible Limit	Test Method
Physical & Chemical Parameters						
1	Colour	In Hazen unit	Less than 1	5	May be extended upto 15	IS 3025 (P4):2021 Clause No. 4
2	Odour	--	Agreeable	Agreeable	--	IS 3025 (P 5):2018 Clause No. 4.1
3	Turbidity	NTU	Less than 1	1	May be extended upto 5	IS 3025 (P 10):2023 Clause no. 7.2
4	Total dissolved solid	mg/l	398.0	500	2000	IS: 3025 (P-16) :2023 Clause no. 7
5	pH value	--	7.44	6.5 to 8.5	No Relaxation	IS: 3025 (P-11):2022 Clause no. 9
6	Chloride(as Cl)	mg/l	119.2	250	May be extended up to 1000	IS:3025(P-32):1988 Clause no. 2
7	Iron(As Fe)	mg/l	BLQ(0.1)	1.0	No Relaxation	IS 3025 (P 53):2003 Clause no. 6.5.4
8	Magnesium(As Mg)	mg/l	17.7	30	May be	IS:3025(P-46) :2023



Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 99717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)

TEST REPORT

Format No. DARL/QF/50

Report Issue to:

Vidagyan Leadership Academy.
Sikandrabad Jewar Road-Bulandshahr (UP).

Report No.	820260507WT004/A
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	12/05/2026
Issue Date	12/05/2026

Customer Provided Details

Name of Sample	Ro Water		
Brand Name	N.S.	Date of Sampling	N.S.
Sample Quantity	1 ltr.	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Ro Water		

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Test Parameters	Units	Results	Desirable Limit	Permissible Limit	Test Method
1	Fluoride(as F)	mg/l	BLQ(0.2)	1.0	May be extended up to 1.5	IS 3025 (P 60)/Sec-1 :2023 Clause No-7

Note:- 1. BLQ: - Below Limit of Quantification.2. Figure in bracket Indicate Limit of Quantification.

Remarks : The above tested sample Complies as per IS: 10500:2012 AMD.No.4:2022 With respect to above test only.

End of Report



Review by
[Signature]

Ritu Choudhary
Authorized Signatory (Biological)

Authorized Signatory
Vikash Sharma
Authorized Signatory (Chemical)

Page No. 1/1

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC516326000008671F

Report Issue to: Vidagyan Leadership Academy. Sikandrabad Jewar Road-Bulandshahr (UP).	Report No.	820260507WT004
	Sample Receipt Date	07/05/2026
	Test Started On	07/05/2026
	Date of Completion	12/05/2026
	Issue Date	12/05/2026

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Test Parameters	Units	Results	Desirable Limit	Permissible Limit	Test Method
8					extended up to 100	Clause no. 5
9	Calcium(as Ca)	mg/l	6.4	75	May be extended up to 200	IS:3025(P-40):1991 amendment no 1 : 2004 Clause no. 5
10	Total Alkalinity(asCaCO3)	mg/l	20.1	200	(May be extended up to 600)	IS:3025(P-23):2023 Clause no. 10
11	Total Hardness(as CaCO3)	mg/l	26.1	200	(May be extended up to 600)	IS:3025(P-21):2009 Clause no. 5

Microbiology parameter

12	E.coli	/100ml	absen.	Absent	-	IS:15185:2016 Clause no 8
13	Coliform	/100ml	absen.	Absent	-	IS:15185:2016 Clause no 8

Note:- 1. BLQ: - Below Limit of Quantification. 2. Figure in bracket Indicate Limit of Quantification.

Remarks : The above tested sample Complies as per IS: 10500:2012 AMD.No.4:2022 With respect to above test only.

End of Report



Review by

Ritu Choudhary
Authorized Signatory (Biological)

Authorized Signatory
Vikash Sharma
Authorized Signatory (Chemical)

Page No. 2/2

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC51632600008661F

Report Issue to:
Vidagyan Leadership Academy.
Sikandrabad Jewar Road-Bulandshahr (UP).

Report No.	820260507FP011
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	12/05/2026
Issue Date	12/05/2026

Customer Provided Details

Name of Sample	Aloo Falli Sabji		
Brand Name	N.S.	Date of Sampling	07/05/2026
Sample Quantity	300g	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat		Manufacturing Date
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Aloo Falli Sabji		

TEST RESULTS

Group Name : Food and Agriculture

Discipline : Biological

S.No.	Test Parameter	Unit	Result	Specification (IFSA)	Test Method
1	Total Bacterial count	cfu/gm	350	1000000 Max.	IS:5402(P-1) 2021 : Cl No. -9.0
2	Salmonella spp	/25gm	absent	Absent	IS:5887(P-3) Sec-1:2020: Cl No.-9.0
3	Yeast & Mould	/gm	absent	Absent	IS:5403:1999 Cl no.-9.0
4	Coliform	/gm	absent	Absent	IS:5401(p-1):2012 Cl no.-9.0
5	Shigella	/25gm	absent	Absent	IS:5887(P-7):1999 Cl no.-7.0

Remarks : The Tested Sample complies as per IFSA, with respect to above test only.

End of Report



Review by

Authorized Signatory
Ritu Choudhary
Authorized Signatory (Biological)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

Report Issue to: Vidagyan Leadership Academy. Sikandrabad Jewar Road-Bulandshahr (UP).		ULR No.: TC51632600008664F	
		Report No.	820260507FP013
		Sample Receipt Date	07/05/2026
		Test Started On	07/05/2026
		Date of Completion	12/05/2026
		Issue Date	12/05/2026
Customer Provided Details			
Name of Sample	Rice		
Brand Name	N.S.	Date of Sampling	07/05/2026
Sample Quantity	300g	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Rice		

TEST RESULTS

Group Name : Food and Agriculture

Discipline : Biological

S.No.	Test Parameter	Unit	Result	Specification (IFSA)	Test Method
1	Total Bacterial count	cfu/gm	423	1000000 Max.	IS:5402(P-1) 2021 : CI No. -9.0
2	Salmonella spp	/25gm	absent	Absent	IS:5887(P-3) Sec-1:2020: CI No.-9.0
3	Yeast & Mould	/gm	absent	Absent	IS:5403:1999 CI no.-9.0
4	Coliform	/gm	absent	Absent	IS:5401(p-1):2012 CI no.-9.0
5	Shigella	/25gm	absent	Absent	IS:5887(P-7):1999 CI no.-7.0

Remarks : The Tested Sample complies as per IFSA, with respect to above test only.

End of Report



Review by

Authorized Signatory
Ritu Choudhary
Authorized Signatory (Biological)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

Report Issue to:

Vidagyan Leadership Academy,
Sikandrabad Jewar Road-Bulandshahr (UP).

ULR No.: TC516326000008666F

Report No.	820260507FP014
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	12/05/2026
Issue Date	12/05/2026

Customer Provided Details

Name of Sample	Chapati		
Brand Name	N.S.	Date of Sampling	07/05/2026
Sample Quantity	300g	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Chapati		

TEST RESULTS

Group Name : Food and Agriculture

Discipline : Biological

S.No.	Test Parameter	Unit	Result	Specification (IFSA)	Test Method
1	Total Bacterial count	cfu/gm	395	1000000 Max.	IS:5402(P-1) 2021 : CI No. -3.0
2	Salmonella spp	/25gm	absent	Absent	IS:5887(P-3) Sec-1:2020: CI No.-9.0
3	Yeast & Mould	/gm	absent	Absent	IS:5403:1999 CI no.-9.0
4	Coliform	/gm	absent	Absent	IS:5401(p-1):2012 CI no.-9.0
5	Shigella	/25gm	absent	Absent	IS:5887(P-7):1999 CI no.-7.0

Remarks : The Tested Sample complies as per IFSA, with respect to above test only.

End of Report



Review by

Authorised Signatory

Ritu Choudhary
Authorized Signatory (Biological)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 99717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC516326000008663F

Report Issue to:
Vidagyan Leadership Academy.
Sikandrabad Jewar Road-Bulandshahr (UP).

Report No.	820260507FP012
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	12/05/2026
Issue Date	12/05/2026

Customer Provided Details

Name of Sample	Chole		
Brand Name	N.S.	Date of Sampling	07/05/2026
Sample Quantity	300g	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	Chole		

TEST RESULTS

Group Name : Food and Agriculture

Discipline : Biological

S.No.	Test Parameter	Unit	Result	Specification (IFSA)	Test Method
1	Total Bacterial count	cfu/gm	400	1000000 Max.	IS:5402(P-1) 2021 : CI No. -9.0
2	Salmonella spp	/25gm	absent	Absent	IS:5887(P-3) Sec-1:2020: CI No.-9.0
3	Yeast & Mould	/gm	absent	Absent	IS:5403:1999 CI no.-9.0
4	Coliform	/gm	absent	Absent	IS:5401(p-1):2012 CI no.-9.0
5	Shigella	/25gm	absent	Absent	IS:5887(P-7):1999 CI no.-7.0

Remarks : The Tested Sample complies as per IFSA, with respect to above test only.

End of Report



Review by

Rita Choudhary

Authorized Signatory (Biological)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.



DELHI ANALYTICAL RESEARCH LABORATORY

Plot No. 2, (A-2) Timber Block, Jhilmil Industrial Area, Delhi-110095

E-mail : darltesting@gmail.com, www.darltesting.in

Ph.: 011-43545890, 09717324010, 9971520106, 8595224665.

(A GOVERNMENT APPROVED & ISO 9001 : 2015, ISO 45001:2018 Certified Testing Laboratory)



TEST REPORT

Format No. DARL/QF/50

ULR No.: TC51632600008690F

Report Issue to:
Vidagyan Leadership Academy,
Sikandrabad Jewar Road-Bulandshahr (UP).

Report No.	820260507WT005
Sample Receipt Date	07/05/2026
Test Started On	07/05/2026
Date of Completion	13/05/2026
Issue Date	13/05/2026

Customer Provided Details

Name of Sample	STP Outlet Water		
Brand Name	N.S.	Date of Sampling	N.S.
Sample Quantity	1 ltr.	Batch/Lot No.	N.S.
Sample Collected by	Our Lab Representative Mr. Bharat	Manufacturing Date	Not Specified
Sampling Method	N.S.	Expiry Date	Not Specified
Sample Description	STP Outlet Water		

TEST RESULTS

Group Name : Water

Discipline : Chemical

S.No.	Parameters	Unit	Results	Specification	Test Method
1	pH Value	--	7.40	5.5 to 9.0	IS:3025(P-11) :2022 Clause no. 9
2	#Total Suspended Solids	mg/l	38.0	20 Max	IS:3025(P-17) :2022 Clause no. 6.1
3	#Bio-Chemical Oxygen Demand (BOD)	mg/l	18.0	10 Max.	IS:3025(P-44) :2023 Clause no. 9
4	#Chemical Oxygen Demand (COD)	mg/l	78.4	50 Max.	IS:3025(P-58) :2023 Clause no. 9
5	Oil & Grease	mg/l	<4	-	IS:3025(P-39) :2021 Clause no. 5.5

Remarks : The above tested sample dose not complies as per C.P.C.B. Guideline with respect to above marked by #.

End of Report



Review by
Swati

Authorized Signatory
Vikash Sharma
Authorized Signatory (Chemical)

Note: 1. The results are related to the test items only. 2. Sample will be destroyed after one month from the date of issue of test report. 3. This report is not be reproduced wholly or in part and cannot as an evidence in the court of law and should not be used in any advertisement media without written consent. 4. Laboratory is not responsible for customer provided details. 5. When report is without NABL Symbol & URL, it implies that these products & tests are not covered under NABL accredited scope.